Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L5	105	((command adj line adj interface) or (CLI)) near5 (advantage or benefit)	US-PGPUB; USPAT; USOCR	OR	ON	2005/06/13 11:23
L6	6	l5 and (router and server)	US-PGPUB; USPAT; USOCR	OR	ON	2005/06/13 11:26
L9	17	CLI near router	US-PGPUB; USPAT; USOCR	OR	ON	2005/06/13 12:22
L10	145	CLI near5 server	US-PGPUB; USPAT; USOCR	OR	ON	2005/06/13 11:51
L11	121	l10 and command	US-PGPUB; USPAT; USOCR	OR	ON	2005/06/13 11:52
L12	11	l10 and ((issu$3 or send$3) near command) near server	US-PGPUB; USPAT; USOCR	OR	ON	2005/06/13 11:54
L13	14	l10 and ((issu$3 or send$3) near (request$3 or query$3)) near server	US-PGPUB; USPAT; USOCR	OR	ON	2005/06/13 11:57
L14	72	(invok$3) near4 (CLI or (command adj line adj interface))	US-PGPUB; USPAT; USOCR	OR	ON	2005/06/13 11:57
L15	8	l14 same server	US-PGPUB; USPAT; USOCR	OR	ON	2005/06/13 12:00
L16	28	CLI near10 (query$3 or request) near4 server	US-PGPUB; USPAT; USOCR	OR	ON	2005/06/13 12:01

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S216	4	(address) near (xml) near (tag or format)	US-PGPUB; USPAT; EPO; DERWENT	OR	ON	2005/06/09 09:37
S217	2	((IP or numeric) near address) near4 (xml or self$1descri$7 or descriptive) near (tag or format)	US-PGPUB; USPAT; EPO; DERWENT	OR	ON	2005/06/09 12:05
S218	6	((data) near4 (xml or self$1descri$7 or descriptive) near (tag or format)) same ((IP or numeric) near address)	US-PGPUB; USPAT; EPO; DERWENT	OR	ON	2005/06/09 09:34
S219	1493	((type or information or kind or function)near4 (output or data or content or packet)) near5 ((select$3 or identif$3) near4 server)	US-PGPUB; USPAT; EPO; DERWENT	OR	ON	2005/06/09 09:36
S220	10	router near4 (output$3 or send$3 or transmit$4 or forward$3) near4 (output or data or information or packet or content) near4 (((format or self) near3 descri$7)or xml or(tag$3 near4 (format or descri$7)))	US-PGPUB; USPAT; EPO; DERWENT	OR	ON	2005/06/09 09:42
S222	9	router near3 (output$3 or send$3 or transmit$4 or forward$3) near10 (information or stream or packet or data or output) near10 (xml or sgml)	US-PGPUB; USPAT; EPO; DERWENT	OR	ON	2005/06/09 09:49
S223	15	router near10 (output$3 or send$3 or transmit$4 or forward$3) near10 (information or stream or packet or data or output) near10 (xml or sgml)	US-PGPUB; USPAT; EPO; DERWENT	OR	ON	2005/06/09 09:49
S227	4064	(encod$4 or format$ or transform$3) near4 (output or data or information or packet) near4 (xml)	US-PGPUB; USPAT; EPO; DERWENT	OR	ON	2005/06/09 10:03
S228	541	rout$3 near4 (content or data or information or output) near4 ((based or function) near (content or type or kind))	US-PGPUB; USPAT; EPO; DERWENT	OR	ON	2005/06/09 10:03
S230	34	((IP or numeric) near address) near4 (xml or ((xml or self$1descri$7 or descriptive) near (tag or format)))	US-PGPUB; USPAT; EPO; DERWENT	OR	ON	2005/06/09 12:06
S234	229	((descriptive or describe or describing)near format) same (xml or sgml or (mark near3 language))	US-PGPUB; USPAT; EPO; DERWENT	OR	ON	2005/06/09 12:08
S236	432	(xml or sgml or (mark near3 language)) same ((numeric or IP) near address)	US-PGPUB; USPAT; EPO; DERWENT	OR	ON	2005/06/09 12:09

S23 9	921	router near3 (output$3 or send$3 or transmit$5 or forward$3) near3 (address)	US-PGPUB; USPAT; EPO; DERWENT	OR	ON	2005/06/09 12:29
S24 2	1844	router near5 (output$3 or send$3 or transmit$5 or forward$3) near5 (address)	US-PGPUB; USPAT; EPO; DERWENT	OR	ON	2005/06/09 12:21
S24 3	38	address near (xml)	US-PGPUB; USPAT; EPO; DERWENT	OR	ON	2005/06/09 12:20
S25 0	311	((send$ or transmit$4) near4 ((numeric or ip) near address)) same S242	US-PGPUB; USPAT; EPO; DERWENT	OR	ON	2005/06/09 12:25
S25 1	3	((xml) or sgml or (mark near language) or (self$1descri$7)) and S250	US-PGPUB; USPAT; EPO; DERWENT	OR	ON	2005/06/09 12:25
S25 2	9	router near3 (output$3 or send$3 or transmit$5 or forward$3) near3 (xml)	US-PGPUB; USPAT; EPO; DERWENT	OR	ON	2005/06/09 12:40
S25 5	440	(resolv$3 or transform$3 or chang$3) near3 ((IP or numeric) adj address) near3 (((symbolic or human) near name) or name)	US-PGPUB; USPAT; EPO; DERWENT	OR	ON	2005/06/09 12:55
S25 7	166	(resolv$3 or transform$3 or chang$3) near3 ((IP or numeric) adj address) adj5 (((symbolic or human) near name) or name)	US-PGPUB; USPAT; EPO; DERWENT	OR	ON	2005/06/09 12:57
S25 9	3	((select$3 or choos$3 or identif$4) near4 (server) near5 (type or function) near5 (content or data or information)) and S257	US-PGPUB; USPAT; EPO; DERWENT	OR	ON	2005/06/09 12:56
S26 1	2	S260 and ((select$3 or choos$3 or identif$4) near4 (server) near5 (type or function) near5 (content or data or information))	US-PGPUB; USPAT; EPO; DERWENT	OR	ON	2005/06/09 13:03
S26 2	52731	((transform$3 or translat$3 or chang$3 or resolving) near3 ((IP or numeric$3) address address))	US-PGPUB; USPAT; EPO; DERWENT	OR	ON	2005/06/09 13:04
S26 3	1088	((locat$3 or identify$3) near3 (server or system or host or dns)) same S262	US-PGPUB; USPAT; EPO; DERWENT	OR	ON	2005/06/09 13:08
S26 4	9	((human or symbolic or easy) near5 (name)) same S263	US-PGPUB; USPAT; EPO; DERWENT	OR	ON	2005/06/09 13:08

S265	318	((locat$3 or identify$3 or find$3) near3 (server)) same S262	US-PGPUB; USPAT; EPO; DERWENT	OR	ON	2005/06/09 13:08
S266	6	((human or symbolic or easy) near5 (name)) same S265	US-PGPUB; USPAT; EPO; DERWENT	OR	ON	2005/06/10 09:52
S269	141	(reverse adj dns) or (reverse adj3 name adj3 look)	US-PGPUB; USPAT; EPO; DERWENT	OR	ON	2005/06/10 10:29
S270	498	(reverse adj dns) or (reverse adj3 name adj3 look) or (reverse adj DNS adj lookup)or (reverse adj domain) (revese near3 (name near service))	US-PGPUB; USPAT; EPO; DERWENT	OR	ON	2005/06/10 10:31
S273	33	((IP or numeric) adj address) same ((locat$3 or search$3 or discover$3 or find$3 or obtain$3) near4 (owner))	US-PGPUB; USPAT; EPO; DERWENT	OR	ON	2005/06/11 14:24
S312	96027	(interface) same ((receiv$3) near3 command) (process$3 or invoke) near5 command	US-PGPUB; USPAT; EPO; DERWENT	OR	ON	2005/06/11 16:31
S313	1460	(quer$4 or ((send$3 or transmit$4) near4 (request or query))) near4 (dns or (name adj server) or (domain adj4 server))	US-PGPUB; USPAT; EPO; DERWENT	OR	ON	2005/06/11 16:30
S315	107	(interface or module) same (command adj line) same ((receiv$3) near3 command) same((process$3 or invoke) near5 command)	US-PGPUB; USPAT; EPO; DERWENT	OR	ON	2005/06/11 16:37
S322	32	polic$ near4 (associat$3 or relat$3 or identif$3) near4((numeric or mac or ip) adj address)	US-PGPUB; USPAT; EPO; DERWENT	OR	ON	2005/06/11 17:52
S323	2	(rout$3 near4 polic$3) near4 (associat$3 or relat$3 or identif$3) near4((numeric or mac or ip) adj address)	US-PGPUB; USPAT; EPO; DERWENT	OR	ON	2005/06/11 17:53
S324	9	(receiv$3 or obtain$3) near4 (policy) near4 ((numeric or mac or ip) adj address)	US-PGPUB; USPAT; EPO; DERWENT	OR	ON	2005/06/11 18:01
S326	5	(user or client) near4 (receiv$3 or obtain$3 or view$3) near4 (rout$3 adj policy)	US-PGPUB; USPAT; EPO; DERWENT	OR	ON	2005/06/11 18:03
S327	33	(receiv$3 or obtain$3 or view$3 or display) near4 (rout$3 adj policy)	US-PGPUB; USPAT; EPO; DERWENT	OR	ON	2005/06/11 18:04

S32 8	60	(quer$3)near4 (policy adj (database or server))	US-PGPUB; USPAT; EPO; DERWENT	OR	ON	2005/06/11 18:04
S33 9	154	(show or list) near10 (peer or neigboors) near10 (device or router)	US-PGPUB; USPAT; EPO; DERWENT	OR	ON	2005/06/12 17:06
S34 0	83	S339 and (IP adj address)	US-PGPUB; USPAT; EPO; DERWENT	OR	ON	2005/06/12 10:37
S34 1	46	(show or display) near4 (user) near4 (peer)	US-PGPUB; USPAT; EPO; DERWENT	OR	ON	2005/06/12 10:39
S34 3	130	(identif$4 or locat$4 or search$3 or find$3) near20 (peer) near20 ((IP or numeric) adj (address))	US-PGPUB; USPAT; EPO; DERWENT	OR	ON	2005/06/12 10:43
S34 4	72	(identif$4 or locat$4 or search$3 or find$3) adj10 (peer) near20 ((IP or numeric) adj (address))	US-PGPUB; USPAT; EPO; DERWENT	OR	ON	2005/06/12 11:06
S34 5	40	(display$3)near4 (peer) near4 (network or device or computer or elements)	US-PGPUB; USPAT; EPO; DERWENT	OR	ON	2005/06/12 11:09
S35 0	0	(etriev$3)near4 (peer) near4 (network or device or computer or elements)	US-PGPUB; USPAT; EPO; DERWENT	OR	ON	2005/06/12 11:10
S35 1	83	(retriev$3)near4 (peer) near4 (network or device or computer or elements)	US-PGPUB; USPAT; EPO; DERWENT	OR	ON	2005/06/12 11:10
S35 3	5	(S345 or S351) same (IP adj address)	US-PGPUB; USPAT; EPO; DERWENT	OR	ON	2005/06/12 11:16
S35 4	510	(list$3 or group$3 or table) near4 (peer) near4 (network or device or computers or elements)	US-PGPUB; USPAT; EPO; DERWENT	OR	ON	2005/06/12 11:20
S35 5	35	S354 same (IP adj address$2)	US-PGPUB; USPAT; EPO; DERWENT	OR	ON	2005/06/12 11:30
S36 3	47037	(receiv$3) near4 (request or command) near4 (client or user or terminal)	US-PGPUB; USPAT; EPO; DERWENT	OR	ON	2005/06/12 13:52
S36 4	142760	(process$5) near4 (request or command)	US-PGPUB; USPAT; EPO; DERWENT	OR	ON	2005/06/12 13:55

S36 5	85	((send$3 or transmit$3) near4 (ouput))	US-PGPUB; USPAT; EPO; DERWENT	OR	ON	2005/06/12 13:53
S36 6	961	(((open adj shortest adj path adj first) or (OSPF)) same router)	US-PGPUB; USPAT; EPO; DERWENT	OR	ON	2005/06/12 13:55
S36 7	1678	((process$5) near4 (request or command)) same router	US-PGPUB; USPAT; EPO; DERWENT	OR	ON	2005/06/12 13:55
S36 8	37474	(locat$ or query$) near4 server	US-PGPUB; USPAT; EPO; DERWENT	OR	ON	2005/06/12 13:56
S36 9	1253	S368 same router	US-PGPUB; USPAT; EPO; DERWENT	OR	ON	2005/06/12 13:56
S37 0	19	S366 and S367 and S369	US-PGPUB; USPAT; EPO; DERWENT	OR	ON	2005/06/12 15:14
S37 1	28	(firewall adj filter) same router	US-PGPUB; USPAT; EPO; DERWENT	OR	ON	2005/06/12 15:40
S37 3	2	S356 and (secur$4 or firewall or block$3)	US-PGPUB; USPAT; EPO; DERWENT	OR	ON	2005/06/12 15:18
S37 5	4	router same chasis	US-PGPUB; USPAT; EPO; DERWENT	OR	ON	2005/06/12 16:36
S37 6	743	router same (device near4 configurat$3)	US-PGPUB; USPAT; EPO; DERWENT	OR	ON	2005/06/12 15:41
S37 8	91	(monitor$4) near10 (router) near10 (components or inventory)	US-PGPUB; USPAT; EPO; DERWENT	OR	ON	2005/06/12 16:38
S38 0	424	router same chassis	US-PGPUB; USPAT; EPO; DERWENT	OR	ON	2005/06/12 16:39
S38 3	2623	chassis near10 (infentory or status)	US-PGPUB; USPAT; EPO; DERWENT	OR	ON	2005/06/12 16:42
S38 4	4295	(configur$4) near10 router	US-PGPUB; USPAT; EPO; DERWENT	OR	ON	2005/06/12 16:58

S38 8	2731	chassis near10 (inventory or status)	US-PGPUB; USPAT; EPO; DERWENT	OR	ON	2005/06/12 16:42
S38 9	5	S388 same router	US-PGPUB; USPAT; EPO; DERWENT	OR	ON	2005/06/12 16:46
S39 0	165	(monitor$3 or evaluat$3) near10 (router) near10 (physical or hardware or components or inventory or chassis)	US-PGPUB; USPAT; EPO; DERWENT	OR	ON	2005/06/12 16:48
S39 1	277	(configur$4 or defin$3) near10 router near10 (hardware or physical)	US-PGPUB; USPAT; EPO; DERWENT	OR	ON	2005/06/12 16:58
S39 2	94	(configur$4 or defin$3) near3 router near3 (hardware or physical)	US-PGPUB; USPAT; EPO; DERWENT	OR	ON	2005/06/12 16:58
S39 3	76	(configur$4 or defin$3) near3 router near3 (inventory or physical)	US-PGPUB; USPAT; EPO; DERWENT	OR	ON	2005/06/12 16:59
S39 5	493	(user or client or administrator) near4 (view or control or configur$7) near4 router	US-PGPUB; USPAT; EPO; DERWENT	OR	ON	2005/06/12 17:05
S39 6	251	S395 and (inventory or status)	US-PGPUB; USPAT; EPO; DERWENT	OR	ON	2005/06/12 17:06
S39 7	18	S395 same (inventory or status)	US-PGPUB; USPAT; EPO; DERWENT	OR	ON	2005/06/12 17:06
S39 9	2878	chassis near (module or component)	US-PGPUB; USPAT; USOCR	OR	ON	2005/06/12 17:34
S40 0	19454	configuration near (module or component)	US-PGPUB; USPAT; USOCR	OR	ON	2005/06/12 17:35
S40 2	264	(router adj protocol)	US-PGPUB; USPAT; USOCR	OR	ON	2005/06/12 17:35
S40 5	160	S399 and S400	US-PGPUB; USPAT; USOCR	OR	ON	2005/06/12 17:36
S40 6	46	S405 and router	US-PGPUB; USPAT; USOCR	OR	ON	2005/06/12 17:36
S40 7	10	S406 and xml	US-PGPUB; USPAT; USOCR	OR	ON	2005/06/13 09:17